

Biology and Fertility of Soils

Volume 3 1987

Editor-in-Chief

J. C. G. Ottow
Institut für Mikrobiologie
und Landeskultur
Justus-Liebig-Universität
Senckenbergstrasse 3
D-6300 Giessen, FRG

Co-Editors

K. Vlassak
Laboratorium voor
Bodemvruchtbaarheid
en Bodembioogie
Katholieke Universiteit
92 Kardinaal Mercierlaan
B-3030 Leuven, Belgium

W. G. Whitford
Department of Biology
New Mexico State University
Las Cruces, NM 88003, USA

Editorial Board

J. Berthelin, Vandoeuvre-les-Nancy
J. M. Bollag, University Park, PA
M. Bouché, Montpellier
D. C. Coleman, Athens, GA
J. Döbereiner, Rio de Janeiro
Y. R. Dommergues, Nogent-sur-Marne
K. H. Domsch, Braunschweig
S. I. Ghabbour, Giza (Cairo)
A. Guckert, Vandoeuvre-les-Nancy
K. H. Hartge, Hannover
D. D. Kaufman, Beltsville, MD
D. R. Keeney, Madison, WI
A. Kloeke, Berlin
R. Knowles, Ste. Anne de Bellevue
K. E. Lee, Glen Osmond, South Australia
J. M. Lynch, Littlehampton
D. H. Marx, Athens, GA
K. Mengel, Giessen
S. Motomura, Yatabe-machi
P. Nannipieri, Viterbo
T. Perel-Vsevolodova, Moscow
T. Rosswall, Linköping
N. Sethunathan, Cuttack
H. Sticher, Zürich
J. K. Syers, Newcastle upon Tyne
G. Trolldenier, Hannover
J. A. van Veen, Wageningen
H. Wada, Tokyo
I. Watanabe, Manila
Yu Tian-ren, Nanking



Springer International

Biology and Fertility of Soils was founded in 1985 by J. C. G. Ottow.

Copyright

Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract or as part of a published lecture, review, or thesis); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the publisher; and that the manuscript will not be published elsewhere in any language without the consent of the copyright holders.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e.g., as offprints), as well as all translation rights. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data bases, video disks, etc., without first obtaining written permission from the publisher.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the date of its going to press, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Special regulations for photocopies in the USA

Photocopies may be made for personal or in-house use beyond the limitations stipulated under Section 107 or 108 of U.S. Copyright Law, provided a fee is paid. This fee is US \$ 0.20 per page, or a minimum of US \$ 1.00 if an article contains fewer than five pages. All fees should be paid to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0302-8933, the volume, and the first and last page numbers of each article copied. The copyright owner's consent does not include copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publisher.

Typesetter: Conscript, Heidelberg / K + V Fotosatz, Beerfelden

Printers: Graphischer Betrieb Konrad Triltsch, Würzburg

© Springer-Verlag Berlin Heidelberg 1987

Springer-Verlag GmbH & Co KG, D-1000 Berlin 33

Printed in Germany

Contents

- Ames RN, Mihara KL, Bethlenfalvay GJ: The establishment of microorganisms in vesicular-arbuscular mycorrhizal and control treatments 217
- Bethlenfalvay GJ, → Ames RN, et al. 217
- Bossier P, → Iswandi A, et al. 147, 153
- Boyle KE, → Curry JP 95
- Bremner JM, → Chai HS 189
- Brussaard L: Kleptocopy of *Aphodius coenosus* (Coleoptera, Aphodiidae) in nests of *Typhaeus typhoeus* (Coleoptera, Geotrupidae) and its effect on soil morphology 117
- Cancela Da Fonseca JP, → Ghabbour SI, et al. 75
- Chahal DS, → Thind HS 179
- Chai HS, Bremner JM: Evaluation of some phosphoroamides as soil urease inhibitors 189
- Christian E: Composition and origin of underground arthropod fauna in an extrazonal permafrost soil of central Europe 27
- Chu TL, Szabó IM, Szabó I: Nocardioform gut actinomycetes of *Glomeris hexasticha* Brandt (Diplopoda) 113
- Coleman DC, → Hunt HW, et al. 57
- Curry JP, Boyle KE: Growth rates, establishment, and effects on herbage yield of introduced earthworms in grassland on reclaimed cutover peat 95
- Dózsá-Farkas K: Effect of human treading on enchytraeid fauna of hornbeam-oak forests in Hungary 91
- Elliott ET, → Hunt HW, et al. 57
- Foissner W: The micro-edaphon in ecofarmed and conventionally farmed dryland cornfields near Vienna (Austria) 45
- Frankland JC, → Newell K, et al. 11
- Freckman DW, Whitford WG, Steinberger Y: Effect of irrigation on nematode population dynamics and activity in desert soils 3
- Gadkari D: Influence of the photosynthesis-inhibiting herbicides Goltix and Sencor on growth and nitrogenase activity of *Anabaena cylindrica* and *Nostoc muscorum* 171
- Ghabbour SI, Cancela Da Fonseca JP, Mikhail WZA: Seasonal differentiation of soil mesofauna in a littoral dune of the Egyptian Mediterranean coast 75
- Gindrat D, → Gordon-Lennox G 195
- Gordon-Lennox G, Gindrat D: Relationship of root necrosis potential of soil to asparagus (*Asparagus officinalis*) decline in Switzerland 195
- Graff O, → Westernacher E 131
- Guckert A, → Mench M et al. 165
- Haukka JK: Growth and survival of *Eisenia fetida* (Sav.) (Oligochaeta: Lumbricidae) in relation to temperature, moisture and presence of *Enchytraeus albidus* (Henle) (Enchytraeidae) 99
- Hayano K: Characterization of a phosphodiesterase component in a forest soil extract 159
- Herlitzius H: Decomposition in five woodland soils: relationships with some invertebrate populations and with weather 85
- Hunt HW, Coleman DC, Ingham ER, Ingham RE, Elliott ET, Moore JC, Rose SL, Reid CPP, Morley CR: The detrital food web in a shortgrass prairie 57
- Ingham ER, → Hunt HW, et al. 57
- Ingham RE, → Hunt HW, et al. 57
- Iswandi A, Bossier P, Vandenabeele J, Verstraete W: Relation between soil microbial activity and the effect of seed inoculation with the rhizopseudomonad strain 7NSK2 on plant growth 147
- Iswandi A, Bossier P, Vandenabeele J, Verstraete W: Effect of seed inoculation with the rhizopseudomonad strain 7NSK2 on the root microbiota of maize (*Zea mays*) and barley (*Hordeum vulgare*) 153
- Jungk A, → Tarafdar JC 199
- Kobel-Lamparski A, Lamparski F: Burrow constructions during the development of *Lumbricus badensis* individuals 125
- Kooyman C, Onck RFM: Distribution of termite (Isoptera) species in southwestern Kenya in relation to land use and the morphology of their galleries 69
- Kratz W, → Weigmann G 81
- Kretschmar A: Soil partitioning effect of an earthworm burrow system 121
- Kreutzer K, → Zelles L, et al. 211
- Krivolutsky DA: Radiation ecology of soil animals 51
- Lamparski F, → Kobel-Lamparski A 125
- Lee KE: In memoriam MS Ghilarov 1
- Mench M, Morel JL, Guckert A: Metal binding properties of high molecular weight soluble exudates from maize (*Zea mays* L.) roots 165
- Mihara KL, → Ames RN, et al. 217
- Mikhail WZA, → Ghabbour SI, et al. 75
- Mitchell MJ, → Morgan CR 107
- Moore JC, → Hunt HW, et al. 57
- Morel JL, → Mench M, et al. 165
- Morgan CR, Mitchell MJ: The effects of feeding by *Oniscus asellus* on leaf litter sulfur constituents 107
- Morley CR, → Hunt HW, et al. 57
- Nannipieri P, → Pedrazzini F, et al. 183
- Newell K, Frankland JC, Whittaker JB: Effects on microflora of using naphthalene or X-rays to reduce arthropod populations in the field 11
- Onck RFM, → Kooyman C 69
- Pedrazzini F, Tarsitano R, Nannipieri P: The effect of phenyl phosphorodiamidate on urease activity and ammonia volatilization in flooded rice 183
- Perel TS: The nature of eurytopy in polyploid earthworm species in relation to their use in biological soil amelioration 103
- Reid CPP, → Hunt HW, et al. 57
- Reinecke AJ, Venter JM: Moisture preferences, growth and reproduction of the compost worm *Eisenia fetida* (Oligochaeta) 135
- Rose SL, → Hunt HW, et al. 57
- Sandor A, → Sohlenius B 19
- Sato K, Tanaka H: Degradation and metabolism of a fungicide, 2,4,5,6-tetrachloroisophthalonitrile (TPN) in soil 205
- Scheunert I, → Zelles L, et al. 211
- Schuster R, Turk R: *Erythraeus ghilarovi* n. sp., a new soil mite from South America (Acari, Trombidiformes) 15
- Sohlenius B, Sandor A: Vertical distribution of nematodes in arable soil under grass (*Festuca pratensis*) and barley (*Hordeum distichum*) 19

Steinberger Y, → Freckman DW, et al. 3

Szabó I, → Chu TL, et al. 113

Szabó IM, → Chu TL, et al. 113

Tanaka H, → Sato K. 205

Tarafdar JC, Jungk A: Phosphatase activity in the rhizosphere and its relation to the depletion of soil organic phosphorus 199

Tarsitano R, → Pedrazzini F, et al. 183

Thind HS, Chahal DS: Effect of green manuring (*Sesbania aculeata*) on zinc equilibria in submerged calcareous and non-calcareous soils 179

Toutain F: Activité biologique des sols, modalités et litho-dépendance 31

Turk R, → Schuster R. 15

Vandenabeele J, → Iswandi A, et al. 147, 153

Vannier G: The porosphere as an ecological medium empha-

sized in Professor Ghilarov's work on soil animal adaptations 39

Venter JM, → Reinecke AJ. 135

Verstraete W, → Iswandi A, et al. 147, 153

Weigmann G, Kratz W: Oribatid mites in urban zones of West Berlin 81

Westernacher E, Graff O: Orientation behaviour of earthworms (*Lumbricidae*) towards different crops 131

Whitford WG, → Freckman DW, et al. 3

Whittaker JB, → Newell K, et al. 11

Yeates GW: Nematode feeding and activity: the importance of development stages 143

Zelles L, Scheunert I, Kreutzer K: Bioactivity in limed soil of a spruce forest 211

Indexed in *Current Contents*

Key word index

A bis-(*p*-nitrophenyl) phosphatase (BPNPase) 159

A. saccharum 107

Acer negundo 107

Air pollution 81

Allium cepa 199

Allolobophora spp. 131

Ammonia volatilization 183

Anabaena cylindrica 171

Andean fauna 15

Anhydrobiosis 3

Animal adaptations 39

Aphodius coenosus 117

Aporrectodea caliginosa 95

Aporrectodea, sp. 121

Arthropods 27

Asparagus officinalis 195

Asparagus root necrosis 195

ATP test 211

Back-filling 117

Bioactivity 211

Bioindicators 51

Biological activity 31

– indicator 81

– soil amelioration 103

Biomass of bacterial, fungal, plant and omnivore feeders 19

Brassica oleracea 199

Burrow constructions 125

Burrows 117, 121

Cadmium 165

Cave fauna 27

Cell wall composition 113

Chihuahan desert 3

Cocoon production 135

Coenological survey 91

Coexistence 103

Coliform bacteria 153

Collembola 11

Competition experiment 99

Compost worm 135

Community structure 45

Condensation water mire 27

Copper 165

Correlations 85

Cyanobacteria 171

Cyclic nucleotides 159

Decomposition 85

Detrital food web 57

Dialysis 165

Earthworm growth 95

– introduction 95

Earthworms 31, 51, 121, 125, 131

Ecofarming 45

Eisenia fetida 99, 135

– *nordenskioldi* 103

Enchytraeid fauna 91

Enchytraeids 31

Enchytraeus albidus 99

Epigeic and anecic life 125

Erythraeidae 15

Erythraeus ghilarovi n.sp. 15

Eurytopy 103

Fagus grandifolia 107

Festuca pratensis-Predation 19

FDA hydrolysis 211

Flooded rice soil 183

Forest soil extract 159

Fractionation on DEAE-cellulose column

chromatography 159

Fridericia conculcata 91

Fungi 11

Fusarium oxysporum 195

– *oxysporum* var. *redolens* 195

– *solani* 195

Glomeris hexasticha 113

Green manuring 179

Growth 135

– of *Nostoc muscorum* 171

Herbage yields 95

Herbicides 171

Heterogamia syriaca, *Lygos raetam* 75

Hiking trails 91

Hordeum distichum 19

– *vulgare* 147, 153

Hornbeam-oak forests 91

Human treading 91

Humus 45

– forms 31

Hydroquinone 189

Inoculation 217

Invertebrate populations 85

Ionizing radiation effects 51

Iron reduction test 211

Irrigation 3

ISE 165

Isoptera 69

Kleptocopy 117

Lead 165

Leaf litter 107

Lime 211

Litter-feeding millipedes 113

Lumbricidae 131

Lumbricus badensis 125

– spp. 131

– *terrestris* 95

Mariut region – Correspondence analysis 75

Metabolism 143, 205

Microarthropods 31

Microbes 57

Microbial activity 147

– populations 217

Microcalorimetric measurements 211

Microtermes spp. 69

Milieu souterrain superficiel 27

Mineralization 57

Moder 31

Moisture 99

– preference 135

Mononchida 143

Mull 31

Mycorrhiza 217

N-Butyl phosphorothioic triamide 189

N-(Diaminophosphinyl)-cyclohexyl-amine 189

Naphthalene 11

Nematoda 143

- Nematode community 3
 – distribution 19
 – extraction 3
 Nematodes 45
 Nitrogenase activity 171
 Nocardioform gut actinomycetes 113
 Nutrient cycles 143
 Nylon mesh cages 95
- Odontotermes* spp. 69
 Oligonucleotides 159
Oniscus asellus 107
Onychiurus latius 11
 Organic phosphorus 199
 Organochlorine pesticides 205
 Oribated mites 81
 Orientation behaviour 131
- Permafrost soil 27
 Permanent and temporary soil dwellers 51
Penicillium verrucosum 195
 Phenyl phosphorodiamidate (PPD) 183
 Phenylphosphorodiamidate 189
 Phosphatases 199
 Phosphorodiamides 189
 Phosphorotriamides 189
Picea rubens 107
 Plant species 131
- Polyploid earthworms 103
 Porosphere 39
 Predators 75
 Protozoa 45
- Radioactive pollution Edaphon 51
 Reclaimed peat 95
 Rhizopseudomonads 147, 153
 Rhizosphere 199
 – microbiota 153
 Root exudates 165
 Root necrosis potential (RNP) 195
- Seed inoculation 147, 153
Sesbania aculeata 179
 Simulation 121
 Soil 211
 – conditions 205
 – enzymes 45
 – fauna 51, 57
 – heterogeneity 121
 – mites 15
 – respiration 153, 211
 South America 15
 Southwestern Kenya 69
 Spruce forest 211
 Steiner R. 45
 Submergence 179
 Substrate specificity 81
 Subterranean galleries 69
- Temperature 99
 Termites 69
 2,4,5,6-tetrachloroisophthalonitrile 205
 Thermodynamics of pores 39
 TPN 205
Trifolium alexandrinum 199
Triticum aestivum 199
 Trophic levels 143
Tsuga canadensis 107
 Tubes and cocoon chambers 125
Typhaeus typhoeus 117
- Urban ecology 81
 Urea 183
 – hydrolysis 189
 Urease activity 183
- Water accessibility 39
 Weather conditions 85
 Wet funnel method 19
 White rot fungi 31
 Woodland soils 85
- X-rays 11
- Zea mays* 147, 153
 Zinc 165
 Zn equilibria 179
 – potential 179

